

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/954,809	09/18/2001	Vahe' A. Adamian	10010689-3	8215	
7590 01/16/2004			EXAMINER		
AGILENT TECHNOLOGIES, INC.			ÀSSOUAD, PATRICK J		
Legal Department DL429 - Intellectual Property Administration			ART UNIT	PAPER NUMBER	
P.O. Box 7599 Loveland, CO 80537-0599			2857		
			DATE MAILED: 01/16/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

:		Application N . Applicant(s)						
\	_	09/954,809	ADAMIAN ET AL.					
•	Office Action Summary	Examiner	Art Unit					
		Patrick J Assouad	2857	$\rho\omega$				
Period fo	The MAILING DATE of this communication ap	pears on the cover sheet with the	orrespondenc ad	dress				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status								
1)⊠	Responsive to communication(s) filed on 18 S	September 2001.						
·		action is non-final.						
3)⊠	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)⊠	Claim(s) <u>1-26</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)⊠	Claim(s) <u>2-23 and 26</u> is/are allowed.							
6)	Claim(s) is/are rejected.							
•	Claim(s) <u>1,24 and 25</u> is/are objected to.							
8)□	3) Claim(s) are subject to restriction and/or election requirement.							
Application Papers								
,	9) The specification is objected to by the Examiner.							
10)🛛	10)⊠ The drawing(s) filed on <u>22 July 2002</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority under 35 U.S.C. §§ 119 and 120								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. a) The translation of the foreign language provisional application has been received. 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. 								
2) Notice 3) Inform	et(s) te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) Interview Summary 5) Notice of Informal F 6) Other:						

The state of the s

Application/Control Number: 09/954,809

Art Unit: 2857

DETAILED ACTION

Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." See e.g. pg. 3, lines 14-17. Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

Specification

The disclosure is objected to because of the following informalities: "it's" on pg.
 line 10 should be – its --. A thorough check of the entire Specification is
 recommended. Appropriate correction is required.

Claim Objections

3. Claims 1 and 24-25 are objected to because of the following informalities: in claim 1, we should probably see "... determining all of [the] systematic error coefficients for all of the ports of [the] N-port multiport test system", and in claims 24-25, we should probably see "... a controller that biases [a] predetermined [number] of a plurality of switching devices...". Appropriate correction is required.

Art Unit: 2857

Allowable Subject Matter

- 4. Claims 1-26 are allowable over the prior art of record. The prior art of record does not suggest or disclose the claimed <u>combination</u> of method steps or apparatus elements, most particularly the claimed "method of calibrating an N-port multiport test system for measurement of a DUT... consisting of: ... coupling each port of an N-port automatic calibration device to a respective port of the N-port multiport test system; presenting three reflection standards with the automatic calibration device to teach port of the N-port multiport test system; providing with the automatic calibration device, N-1 through conditions of a possible N(N-1)/2 possible through conditions, between corresponding ports of the N-port multiport test system; making measurements with the N-port multiport test system of the three reflection standards at each port and the N-1 through conditions between the corresponding ports; and determining all of [the] error coefficients for all of the ports of [the] N-port multiport test system."
- 5. As allowable subject matter has been indicated, applicant's reply must either comply with all formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b) and MPEP § 707.07(a).

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See the attached PTO-892. Though not <u>prior</u> art, most notable

Application/Control Number: 09/954,809

Art Unit: 2857

are **Adamian et al.** ('848 B2) and **Ad[a]mian et al.** ('237 B2), commonly owned, and with effective priority the same as the instant application.

7. This application is in condition for allowance except for the following formal matters:

See above.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J Assouad whose telephone number is 703-305-3811. The examiner can normally be reached on Tuesday-Friday, 6:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 703-308-1677. The fax phone number for the organization where this application or proceeding is assigned is 703-308-7722.

Art Unit: 2857

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Patrick J Assouad Primary Examiner Art Unit 2857

pja